



 **NEOMAX**

**Product catalogue 2023**


# CONTENTS

**QUALITY AND UNIQUENESS  
IN EVERY SINGLE DETAIL**

<b>04</b> CABLE TRUNKING NEOMAX ULTRA	<b>09</b> CABLE TRUNKING WITH ADHESIVE TAPE NEOMAX ULTRA	<b>09</b> DOUBLE-LOCK CABLE TRUNKING	<b>13</b> ELECTRICAL WIRE PIPE NEOMAX
<b>17</b> NEOMAX EXTENSION CORD	<b>25</b> NEOMAX EXTENSION CORD (1 socket)	<b>27</b> CABLE WITH A PLUG	
<b>29</b> Distribution Boxes			
<b>33</b> NEOMAX ACCESSORIES	<b>41</b> RUBBER ACCESSORIES	<b>43</b> FLUSH MOUNTING BOX	



# CABLE TRUNKING NEOMAX ULTRA



Cable trunking is a special box made of non-combustible PVC for routing the electrical cable along the surface of the wall, floor, ceiling. Invisible wiring is by far the best option. But if it is not possible to cut into the wall, a plastic cable trunking for laying the cable over the surface allows branching of the wiring to be carried out as aesthetically as possible. Hence, the problems of safety, protection of cables, and additional wiring is solved automatically.



Cable Trunking Neomax Ultra 12x12 mm

Item ID: NX3000



Total length in a packaging, m		Volume, m³		Weight, kg	
160		0,0251		8,95	
Pcs in packaging	Length, mm	Width, mm		Height, mm	
80	2005	125		100	

Cable Trunking Neomax Ultra 15x10 mm

Item ID: NX3001



Total length in a packaging, m		Volume, m³		Weight, kg	
160		0,0251		11,25	
Pcs in packaging	Length, mm	Width, mm		Height, mm	
80	2005	125		100	

Cable Trunking Neomax Ultra 16x16 mm

Item ID: NX3002



Total length in a packaging, m		Volume, m³		Weight, kg	
96		0,0602		8,80	
Pcs in packaging	Length, mm	Width, mm		Height, mm	
48	2005	240		125	

Cable Trunking Neomax Ultra 20x10 mm

Item ID: NX3003



Total length in a packaging, m		Volume, m³		Weight, kg	
120		0,0251		11,18	
Pcs in packaging	Length, mm	Width, mm		Height, mm	
60	2005	125		100	

## Cable Trunking Neomax Ultra 25x16 mm

Item ID: NX3004



Total length in a packaging, m		Volume, m³		Weight, kg			
150		0,0602		17,10			
Pcs in packaging		Length, mm		Width, mm		Height, mm	
75		2005		240		125	

## Cable Trunking Neomax Ultra 25x25 mm


Item ID: NX3005



Total length in a packaging, m		Volume, m³	Weight, kg
90		0,0602	16,10
Pcs in packaging	Length, mm	Width, mm	Height, mm
45	2005	240	125

## Cable Trunking Neomax Ultra 40x16 mm


Item ID: NX3006



Total length in a packaging, m		Volume, m³	Weight, kg	
90		0,0602	18,14	
Pcs in packaging	Length, mm	Width, mm	Height, mm	
45	2005	240	125	

## Cable Trunking Neomax Ultra 40x25 mm

Item ID: NX3007



Total length in a packaging, m		Volume, m³	Weight, kg
60		0,0602	16,53
Pcs in packaging	Length, mm	Width, mm	Height, mm
30	2005	240	125

## Cable Trunking Neomax Ultra 40x40 mm

Item ID: NX3008



Total length in a packaging, m	Volume, m³		Weight, kg
36	0,0602		12,06
Pcs in packaging	Length, mm	Width, mm	Height, mm
18	2005	240	125

## Cable Trunking Neomax Ultra 60x40 mm

Item ID: NX3009



Total length in a packaging, m	Volume, m³		Weight, kg
40	0,0602		21,12
Pcs in packaging	Length, mm	Width, mm	Height, mm
20	2005	240	125

## Cable Trunking Neomax Ultra 60x60 mm


Item ID: NX3010



Total length in a packaging, m	Volume, m³	Weight, kg	
16	0,0602	9,40	
Pcs in packaging	Length, mm	Width, mm	Height, mm
8	2005	240	125

## Cable Trunking Neomax Ultra 80x40 mm


Item ID: NX3011



Total length in a packaging, m		Volume, m³	Weight, kg
18		0,0602	11,70
Pcs in packaging	Length, mm	Width, mm	Height, mm
9	2005	240	125

## Cable Trunking Neomax Ultra 80x60 mm


Item ID: NX3012



Total length in a packaging, m		Volume, m³	Weight, kg
24		0,0602	16,80
Pcs in packaging	Length, mm	Width, mm	Height, mm
12	2005	240	125

## Cable Trunking Neomax Ultra 100x40 mm


Item ID: NX3013



Total length in a packaging, m		Volume, m³	Weight, kg
24		0,0602	24,32
Pcs in packaging	Length, mm	Width, mm	Height, mm
12	2005	240	125

## Cable Trunking Neomax Ultra 100x60 mm


Item ID: NX3014



Total length in a packaging, m		Volume, m³	Weight, kg
16		0,0602	18,21
Pcs in packaging	Length, mm	Width, mm	Height, mm
8	2005	240	125

## Cable Trunking Neomax Ultra 120x60 mm



Item ID: NX3015



Total length in a packaging, m		Volume, m³	Weight, kg
12		0,0602	17,76
Pcs in packaging	Length, mm	Width, mm	Height, mm
6	2005	240	125

# CABLE TRUNKING WITH ADHESIVE TAPE NEOMAX ULTRA

Cable trunking with Self-Adhesive is a special box made of non-combustible PVC for routing the electrical cable along the surface of the wall, floor, ceiling. Invisible wiring is by far the best option. But if it is not possible to cut into the wall, a plastic cable trunking for laying the cable over the surface allows branching of the wiring to be carried out as aesthetically as possible. Hence, the problems of safety, protection of cables, and additional wiring is solved automatically.



Cable Trunking Neomax Ultra with adhesive tape 12x12 mm

Item ID: NX3100



Total length in a packaging, m		Volume, m³		Weight, kg	
140		0,0256		8,64	
Pcs in packaging	Length, mm	Width, mm	Height, mm		
70	2005	125	100		

Cable Trunking Neomax Ultra with adhesive tape 15x10 mm

Item ID: NX3101



Total length in a packaging, m		Volume, m³		Weight, kg	
144		0,0256		10,33	
Pcs in packaging	Length, mm	Width, mm	Height, mm		
72	2005	125	100		

Cable Trunking Neomax Ultra with adhesive tape 16x16 mm


Item ID: NX3102



Total length in a packaging, m		Volume, m³		Weight, kg	
80		0,0256		9,00	
Pcs in packaging	Length, mm	Width, mm	Height, mm		
40	2005	240	125		

Cable Trunking Neomax Ultra with adhesive tape 20x10 mm


Item ID: NX3103



Total length in a packaging, m		Volume, m³	Weight, kg
108		0,0256	10,10
Pcs in packaging	Length, mm	Width, mm	Height, mm
54	2005	125	100

Cable Trunking Neomax Ultra with adhesive tape 25x16 mm


Item ID: NX3104



Total length in a packaging, m		Volume, m³	Weight, kg
150		0,0615	17,50
Pcs in packaging	Length, mm	Width, mm	Height, mm
75	2005	240	125


Cable Trunking Neomax Ultra with adhesive tape 25x25 mm

Item ID: NX3105



Total length in a packaging, m		Volume, m³	Weight, kg
90		0,0615	16,21
Pcs in packaging	Length, mm	Width, mm	Height, mm
45	2005	240	125


Cable Trunking Neomax Ultra with adhesive tape 40x16mm



Total length in a packaging, m		Volume, m³	Weight, kg
84		0,0585	17,00
Pcs in packaging	Length, mm	Width, mm	Height, mm
42	2005	240	125

Cable Trunking Neomax Ultra with adhesive tape 40x25mm


Item ID: NX3107



Total length in a packaging, m		Volume, m³	Weight, kg
54		0,0576	15,55
Pcs in packaging	Length, mm	Width, mm	Height, mm
27	2005	240	125

Cable Trunking Neomax Ultra with adhesive tape 40x40mm


Item ID: NX3108



Total length in a packaging, m		Volume, m³	Weight, kg
30		0,0513	10,50
Pcs in packaging	Length, mm	Width, mm	Height, mm
15	2005	240	125

Cable Trunking Neomax Ultra with adhesive tape 40x60mm


Item ID: NX3109



Total length in a packaging, m		Volume, m³	Weight, kg
24		0,0615	12,45
Pcs in packaging	Length, mm	Width, mm	Height, mm
12	2005	240	125

Cable Trunking Neomax Ultra with adhesive tape 60x60mm

Item ID: NX3110



Total length in a packaging, m		Volume, m³	Weight, kg
24		0,0513	15,30
Pcs in packaging	Length, mm	Width, mm	Height, mm
12	2005	240	125

# DOUBLE-LOCK CABLE TRUNKING



One key advantage of double-lock cable trunking is that it has a secure locking mechanism that ensures the cables are held firmly in place, reducing the risk of them slipping or becoming dislodged. Its sturdy construction and secure locking mechanism make it ideal for use in offices, schools, and other busy environments where cables are often underfoot.

## Cable Trunking Neomax 12x12 mm

Item ID: NX3200



Total length in a packaging, m		Volume, m³	Weight, kg
24		0,0602	16,80
Pcs in packaging	Length, mm	Width, mm	Height, mm
12	2005	240	125

## Cable Trunking Neomax 15x10 mm

Item ID: NX3201



Total length in a packaging, m		Volume, m³	Weight, kg
24		0,0602	24,32
Pcs in packaging	Length, mm	Width, mm	Height, mm
12	2005	240	125

Cable Trunking Neomax 16x16 mm

Item ID: NX3202



Total length in a packaging, m		Volume, m³	Weight, kg
16		0,0602	18,21
Pcs in packaging	Length, mm	Width, mm	Height, mm
8	2005	240	125

Cable Trunking Neomax 20x10 mm

Item ID: NX3203



Total length in a packaging, m		Volume, m³	Weight, kg
40		0,0602	21,12
Pcs in packaging	Length, mm	Width, mm	Height, mm
20	2005	240	125

Cable Trunking Neomax 25x16 mm

Item ID: NX3204



Total length in a packaging, m		Volume, m³	Weight, kg
16		0,0602	9,40
Pcs in packaging	Length, mm	Width, mm	Height, mm
8	2005	240	125

Cable Trunking Neomax 25x25 mm

Item ID: NX3205



Total length in a packaging, m		Volume, m³	Weight, kg
18		0,0602	11,70
Pcs in packaging	Length, mm	Width, mm	Height, mm
9	2005	240	125



Cable Trunking Neomax 40x16 mm

Item ID: NX3206



Total length in a packaging, m		Volume, m³	Weight, kg
24		0,0602	16,80
Pcs in packaging	Length, mm	Width, mm	Height, mm
12	2005	240	125



Cable Trunking Neomax 40x25 mm

Item ID: NX3207



Total length in a packaging, m		Volume, m³	Weight, kg
24		0,0602	24,32
Pcs in packaging	Length, mm	Width, mm	Height, mm
12	2005	240	125



Cable Trunking Neomax 40x40 mm

Item ID: NX3208



Total length in a packaging, m		Volume, m³	Weight, kg	
16		0,0602	18,21	
Pcs in packaging	Length, mm	Width, mm	Height, mm	
8	2005	240	125	

Cable Trunking Neomax 60x40 mm

Item ID: NX3209



Total length in a packaging, m		Volume, m³	Weight, kg	
40		0,0602	21,12	
Pcs in packaging	Length, mm	Width, mm	Height, mm	
20	2005	240	125	

Cable Trunking Neomax 60x60 mm

Item ID: NX3210



Total length in a packaging, m		Volume, m³	Weight, kg	
16		0,0602	9,40	
Pcs in packaging	Length, mm	Width, mm	Height, mm	
8	2005	240	125	

# ELECTRICAL WIRE PIPE NEOMAX

PVC Conduit protects and allows runs of cables and conductors. The Sch. 40 PVC composition is heat- and corrosion resistant and is rated for 90° C conductors. For routing electrical wiring aboveground or underground



Electrical Wire Pipe Neomax Ø16 mm

Item ID: NX3500



Total length in a packaging, m	Volume, m³	Weight, kg
40	0,0615	16,21

Electrical Wire Pipe Neomax Ø20 mm

Item ID: NX3501



Total length in a packaging, m	Volume, m³	Weight, kg
35	0,0615	16,21

Electrical Wire Pipe Neomax Ø25 mm

Item ID: NX3502



Total length in a packaging, m	Volume, m³	Weight, kg
30	0,0615	16,21

Electrical Wire Pipe Neomax Ø32 mm

Item ID: NX3503



Total length in a packaging, m	Volume, m³	Weight, kg
25	0,0615	16,21

Electrical Wire Pipe Neomax Ø40 mm

Item ID: NX3504



Total length in a packaging, m	Volume, m³	Weight, kg
20	0,0615	16,21

# NEOMAX EXTENSION CORD





Incorporating the features of being used as hanging or as fixed on a surface in a special design, Neomax offers safety and comfort together in your home, office, workshop and construction site.



## 2-Gang Extension Cord with Earthing

Item ID: NX501200



Total length in a packaging, m	Size box, cm	Weight, kg
40	303x203x298	4,800

## 3-Gang Extension Cord with Earthing

Item ID: NX501300



Total length in a packaging, m	Size box, cm	Weight, kg
35	303x203x298	4,800

## 4-Gang Extension Cord with Earthing

Item ID: NX501400



Total length in a packaging, m	Size box, cm	Weight, kg
25	332x245x220	4,800

## 5-Gang Extension Cord with Earthing

Item ID: NX501500



Total length in a packaging, m	Size box, cm	Weight, kg
20	302x203x298	4,800

## 6-Gang Extension Cord with Earthing

Item ID: NX501600



Total length in a packaging, m	Size box, cm	Weight, kg
20	332x245x220	4,800

## 2-Gang Extension Cord with Earthing

Item ID: 2m - NX501202

3m - NX501203

5m - NX501205



2m

3m

5m



H05VV-F 3G1.0mm<sup>2</sup> <HARD> Ⓢ CE RoHS

H05VV-F 3G1.5mm<sup>2</sup> <HARD> Ⓢ CE RoHS

Total length in a packaging, m	Size box, cm	Weight, kg
25	332x245x220	4,800

## 3-Gang Extension Cord with Earthing

Item ID: 2m - NX501302

3m - NX501303

5m - NX501305



2m

3m

5m



H05VV-F 3G1.0mm<sup>2</sup> <HARD> Ⓢ CE RoHS

H05VV-F 3G1.5mm<sup>2</sup> <HARD> Ⓢ CE RoHS

Total length in a packaging, m	Size box, cm	Weight, kg
25	332x245x220	4,800

## 4-Gang Extension Cord with Earthing

Item ID: 2m - NX501402

3m - NX501403

5m - NX501405



2m

3m

5m



H05VV-F 3G1.0mm<sup>2</sup> <HARD> Ⓢ CE RoHS

H05VV-F 3G1.5mm<sup>2</sup> <HARD> Ⓢ CE RoHS

Total length in a packaging, m	Size box, cm	Weight, kg
25	332x245x220	4,800

## 5-Gang Extension Cord with Earthing

Item ID: 2m - NX501502

3m - NX501503

5m - NX501505



2m

3m

5m



H05VV-F 3G1.0mm<sup>2</sup> <HARD> Ⓢ CE RoHS

H05VV-F 3G1.5mm<sup>2</sup> <HARD> Ⓢ CE RoHS

Total length in a packaging, m	Size box, cm	Weight, kg
25	332x245x220	4,800

## 6-Gang Extension Cord with Earthing

Item ID: 2m - NX501602

3m - NX501603


5m - NX501605



2m

3m

5m



H05VV-F 3G1.0mm<sup>2</sup> <HARD> Ⓢ CE RoHS

H05VV-F 3G1.5mm<sup>2</sup> <HARD> Ⓢ CE RoHS

Total length in a packaging, m	Size box, cm	Weight, kg
25	332x245x220	4,800

2-Gang Extension Cord

Item ID: NX500200



Total length in a packaging, m	Size box, cm	Weight, kg
40	303x203x298	4,800

3-Gang Extension Cord

Item ID: NX500300



Total length in a packaging, m	Size box, cm	Weight, kg
35	303x203x298	4,800

4-Gang Extension Cord

Item ID: NX500400



Total length in a packaging, m	Size box, cm	Weight, kg
25	332x245x220	4,800

5-Gang Extension Cord

Item ID: NX500500



Total length in a packaging, m	Size box, cm	Weight, kg
20	303x203x298	4,800

6-Gang Extension Cord

Item ID: NX500600




Total length in a packaging, m	Size box, cm	Weight, kg
20	303x203x298	4,800

### 2-Gang Extension Cord

Item ID: 2m - NX500202

3m - NX500203

5m - NX500205



H05VV-F 2X1.0mm<sup>2</sup> <HAR> Ⓢ CE RoHS


Total length in a packaging, m	Size box, cm	Weight, kg
25	332x245x220	4,800

### 3-Gang Extension Cord

Item ID: 2m - NX500302

3m - NX500303

5m - NX500305



H05VV-F 2X1.0mm<sup>2</sup> <HAR> Ⓢ CE RoHS


Total length in a packaging, m	Size box, cm	Weight, kg
25	332x245x220	4,800

### 4-Gang Extension Cord

Item ID: 2m - NX500402

3m - NX500403

5m - NX500405



H05VV-F 2X1.0mm<sup>2</sup> <HAR> Ⓢ CE RoHS


Total length in a packaging, m	Size box, cm	Weight, kg
25	332x245x220	4,800

### 5-Gang Extension Cord

Item ID: 2m - NX500502

3m - NX500503

5m - NX500505



H05VV-F 2X1.0mm<sup>2</sup> <HAR> Ⓢ CE RoHS


Total length in a packaging, m	Size box, cm	Weight, kg
25	332x245x220	4,800

### 6-Gang Extension Cord

Item ID: 2m - NX500602

3m - NX500603

5m - NX500605



H05VV-F 2X1.0mm<sup>2</sup> <HAR> Ⓢ CE RoHS


Total length in a packaging, m	Size box, cm	Weight, kg
25	332x245x220	4,800

## EXTENSION CORD (1 SOCKET)

We offer a range of extension cords to suit different needs, from short-length cords ideal for home use to longer cords that provide ample reach for outdoor applications. All of our cords come with a variety of safety features, including grounded plugs and surge protection, ensuring safe and efficient operation.



## Extension cord 1 socket with Earthing




Wire length	ID	Pcs in box	Box weight, kg	Box volume, m³	Box length/width/height, mm
5 m	NX515105	15	8,69	0,0427	460x320x290
7 m	NX515107	12	9,05	0,0427	460x320x290
10 m	NX515110	10	10,17	0,0427	460x320x290
15 m	NX515115	8	8,73	0,0427	460x320x290

H05VV-F 3G1.0mm² <HARD> Ⓢ CE RoHS

H05VV-F 3G1.5mm² <HARD> Ⓢ CE RoHS

## Extension cord 1 socket, L-plug, with Earthing




Wire length	ID	Pcs in box	Box weight, kg	Box volume, m³	Box length/width/height, mm
5 m	NX511105	15	8,69	0,0427	460x320x290
7 m	NX511107	12	9,05	0,0427	460x320x290
10 m	NX511110	10	10,17	0,0427	460x320x290
15 m	NX511115	8	8,73	0,0427	460x320x290

H05VV-F 3G1.0mm² <HARD> Ⓢ CE RoHS

H05VV-F 3G1.5mm² <HARD> Ⓢ CE RoHS

## Extension cord 1 socket, L-plug (flat), with Earthing




Wire length	ID	Pcs in box	Box weight, kg	Box volume, m³	Box length/width/height, mm
5 m	NX514105	15	8,69	0,0427	460x320x290
7 m	NX514107	12	9,05	0,0427	460x320x290
10 m	NX514110	10	10,17	0,0427	460x320x290
15 m	NX514115	8	8,73	0,0427	460x320x290

H05VV-F 3G1.0mm² <HARD> Ⓢ CE RoHS

H05VV-F 3G1.5mm² <HARD> Ⓢ CE RoHS

## Extension cord 1 socket



Wire length	ID	Pcs in box	Box weight, kg	Box volume, m³	Box length/width/height, mm
5 m	NX510105	15	8,01	0,0427	460x320x290
7 m	NX510107	12	8,39	0,0427	460x320x290
10 m	NX510110	10	9,47	0,0427	460x320x290
15 m	NX510115	8	10,87	0,0427	460x320x290

H05VV-F 2X1.0mm² <HARD> Ⓢ CE RoHS


## CABLE WITH A PLUG

---

Introducing our innovative extension cord without a socket, designed for those who need to customize their own power solution. Our extension cord allows you to easily attach any type of plug or connector to the end, giving you complete control over your power needs.



## Cable with a plug, with Earthing




Wire length	ID	Pcs in box	Box weight, kg	Box volume, m³	Box length/width/height, mm
1,5 m	NX505001	12	7,236	0,0427	460x320x290

H05VV-F 3G1.0mm² &lt;HAR&gt; Ⓢ CE RoHS

H05VV-F 3G1.5mm² &lt;HAR&gt; Ⓢ CE RoHS

## Cable with a L-plug, with Earthing




Wire length	ID	Pcs in box	Box weight, kg	Box volume, m³	Box length/width/height, mm
1,5 m	NX501001	12	7,236	0,0427	460x320x290

H05VV-F 3G1.0mm² &lt;HAR&gt; Ⓢ CE RoHS

H05VV-F 3G1.5mm² &lt;HAR&gt; Ⓢ CE RoHS

## Cable with a plug



Wire length	ID	Pcs in box	Box weight, kg	Box volume, m³	Box length/width/height, mm
1,5 m	NX500001	15	8,10	0,0427	460x320x290

H05VV-F 2X1.0mm² &lt;HAR&gt; Ⓢ CE RoHS

# DISTRIBUTION BOXES

The distribution boxes is a basic power distribution device that combines the residual current action protector and the air circuit breaker in a reasonable combination, thereby realizing centralized control of the home power supply, and protection functions such as grounding, overload, and short circuit.

Lighting distribution boxes are widely used in various buildings, plazas, stations, industrial and mining enterprises, etc., as terminal electrical equipment for power distribution systems.





**NX4002** | 2 module Distribution Box Flush mounted



Total length in a packaging, m	Size box, cm	Weight, kg
16	140x100x95	4,00

**NX4102** | 2 module Distribution Box Surface mounted



Total length in a packaging, m	Size box, cm	Weight, kg
16	140x100x95	4,35

**NX4004** | 4 module Distribution Box Flush mounted



Total length in a packaging, m	Size box, cm	Weight, kg
18	140x140x96	5,22

**NX4104** | 4 module Distribution Box Surface mounted



Total length in a packaging, m	Size box, cm	Weight, kg
18	140x140x96	5,94

**NX4006** | 6 module Distribution Box Flush mounted



Total length in a packaging, m	Size box, cm	Weight, kg
9	140x180x96	3,60

**NX4106** | 6 module Distribution Box Surface mounted



Total length in a packaging, m	Size box, cm	Weight, kg
9	140x180x96	3,87

**NX4008** | 8 module Distribution Box Flush mounted



Total length in a packaging, m	Size box, cm	Weight, kg
12	170x220x97	6,60

**NX4108** | 8 module Distribution Box Surface mounted



Total length in a packaging, m	Size box, cm	Weight, kg
12	170x220x97	7,20

**NX4016 | 16 module Distribution Box Flush mounted**

Total length in a packaging, m	Size box, cm	Weight, kg
6	290x220x97	6,00

**NX4116 | 16 module Distribution Box Surface mounted**

Total length in a packaging, m	Size box, cm	Weight, kg
6	290x220x97	6,30

**NX4012 | 12 module Distribution Box Flush mounted**

Total length in a packaging, m	Size box, cm	Weight, kg
6	200x300x98	5,40

**NX4112 | 12 module Distribution Box Surface mounted**

Total length in a packaging, m	Size box, cm	Weight, kg
6	200x300x98	5,70

**NX4024 | 24 module Distribution Box Flush mounted**

Total length in a packaging, m	Size box, cm	Weight, kg
4	320x300x98	5,20

**NX4124 | 24 module Distribution Box Surface mounted**

Total length in a packaging, m	Size box, cm	Weight, kg
4	320x300x98	5,60


**NX4036 | 36 module Distribution Box Flush mounted**

Total length in a packaging, m	Size box, cm	Weight, kg
3	430x300x98	5,40


**NX4136 | 36 module Distribution Box Surface mounted**

Total length in a packaging, m	Size box, cm	Weight, kg
3	430x300x98	5,55

# NEOMAX ACCESSORIES



NEOMAX accessories are a symbol of reliability, quality and durability. We produce a wide range of accessories: flush mounting box, plugs, sockets and other products for all types of household appliances and various electrical components.



Earthed L-plug

White: NX1005    Black: NX1105



Pcs in packaging	Pcs in box	Box weight, kg	Box volume, m³	Box length/width/height, mm
35	210	7,203	0,0427	460x320x290

Earthed L-plug standard

White: NX1004    Black: NX1104




Pcs in packaging	Pcs in box	Box weight, kg	Box volume, m³	Box length/width/height, mm
40	240	8,808	0,0427	460x320x290

Earthed plug with handle

White: NX1006    Black: NX1106



Pcs in packaging	Pcs in box	Box weight, kg	Box volume, m³	Box length/width/height, mm
35	210	8,463	0,0427	460x320x290

**Earthed straight plug (male)****White: NX1000    Black: NX1100**

Pcs in packaging	Pcs in box	Box weight, kg	Box volume, m³	Box length/width/height, mm
35	210	8,463	0,0427	460x320x290

**Earthed female plug****White: NX1008    Black: NX1108**

Pcs in packaging	Pcs in box	Box weight, kg	Box volume, m³	Box length/width/height, mm
20	120	6,276	0,0427	460x320x290

**Small plug with L wire entry****White: NX1003    Black: NX1103**

Pcs in packaging	Pcs in box	Box weight, kg	Box volume, m³	Box length/width/height, mm
50	300	7,710	0,0427	460x320x290

Earthed plug with straight wire entry

White: NX1001    Black: NX1101



Pcs in packaging	Pcs in box	Box weight, kg	Box volume, m³	Box length/width/height, mm
45	270	8,424	0,0427	460x320x290

Plug

White: NX1002    Black: NX1102



Pcs in packaging	Pcs in box	Box weight, kg	Box volume, m³	Box length/width/height, mm
50	300	8,480	0,0427	460x320x290

Flat plug

White: NX1007    Black: NX1107



Pcs in packaging	Pcs in box	Box weight, kg	Box volume, m³	Box length/width/height, mm
100	600	9,540	0,0427	460x320x290

**3 Gang socket plug adapter T type****White: NX1019****Black: NX1119**

Pcs in packaging	Pcs in box	Box weight, kg	Box volume, m <sup>3</sup>	Box length/width/height, mm
45	270	7,344	0,0427	460x320x290

**5 Gang socket plug adapter****White: NX1027****Black: NX1127**

Pcs in packaging	Pcs in box	Box weight, kg	Box volume, m <sup>3</sup>	Box length/width/height, mm
35	210	7,830	0,0427	460x320x290

**MK Plug adapter UK to EU type****White: NX1029****Black: NX1129**

Pcs in packaging	Pcs in box	Box weight, kg	Box volume, m <sup>3</sup>	Box length/width/height, mm
35	210	5,740	0,0427	460x320x290

European plug adapter universal type

White: NX1028

Black: NX1128



Pcs in packaging	Pcs in box	Box weight, kg	Box volume, m³	Box length/width/height, mm
35	210	7,410	0,0427	460x320x290

2 Gang earthed socket plug

White: NX1012

Black: NX1112



Pcs in packaging	Pcs in box	Box weight, kg	Box volume, m³	Box length/width/height, mm
14	84	8,257	0,0427	460x320x290

3 Gang earthed socket plug

White: NX1014

Black: NX1114



Pcs in packaging	Pcs in box	Box weight, kg	Box volume, m³	Box length/width/height, mm
10	60	7,060	0,0427	460x320x290

NEW!

White: NX1030  
Black: NX1130



Flat plug




NEW!

White: NX1018  
Black: NX1118



3 Gang socket plug



Coming soon...

2 Gang socket plug

White: NX1013    Black: NX1113



Pcs in packaging	Pcs in box	Box weight, kg	Box volume, m³	Box length/width/height, mm
15	90	7,506	0,0427	460x320x290

3 Gang socket plug

White: NX1015    Black: NX1115



Pcs in packaging	Pcs in box	Box weight, kg	Box volume, m³	Box length/width/height, mm
12	72	6,163	0,0427	460x320x290 500x440x180




## RUBBER ACCESSORIES


---

Rubber connectors are designed for use in difficult operating conditions and are widely used in manufacturing, construction and mechanical engineering. They are easy to install, have high reliability and long service life.

NEOMAX products are made of high quality materials that are UV resistant and non-combustible.

**Earthed straight plug Rubber****Black: NX2000    Red: NX2200**

Pcs in packaging	Pcs in box	Box weight, kg	Box volume, m³	Box length/width/height, mm
20	120	7,236	0,0427	460x320x290

**Earthed L-plug Rubber****Black: NX2001    Red: NX2201**

Pcs in packaging	Pcs in box	Box weight, kg	Box volume, m³	Box length/width/height, mm
30	180	10,220	0,0427	460x320x290

**Earthed straight socket with cover Rubber****Black: NX2004    Red: NX2204**

Pcs in packaging	Pcs in box	Box weight, kg	Box volume, m³	Box length/width/height, mm
15	90	7,317	0,0427	460x320x290

# FLUSH MOUNTING BOX

Each building has a structure type and maximum features architectural requirements different. At Neomax we are aware of this and, therefore, we offer products and accessories for all of them. In this occasion, the Neomax designed the flush mounted box for an element for hollow partition wall. The resistance and durability of its structure has a secret: Use materials with thermoplastic components of first quality.

Flush mounting box for drywall

Item ID: NX1032



Pcs in packaging	Pcs in box	Box weight, kg	Box volume, m³	Box length/width/height, mm
1	100	1,700	0,0396	500x440x180

Flush mounting universal box(with screws)

Item ID: MBS023



Pcs in packaging	Pcs in box	Box weight, kg	Box volume, m³	Box length/width/height, mm
1	200	2,300	0,068	500x440x180

Flush mounting junction box (with screws)

Item ID: MBS021



Pcs in packaging	Pcs in box	Box weight, kg	Box volume, m³	Box length/width/height, mm
1	200	2,800	0,068	500x440x180

Flush mounting box for solid walls

Item ID: NX1033



Pcs in packaging	Pcs in box	Box weight, kg	Box volume, m³	Box length/width/height, mm
1	100	1,500	0,0396	500x440x180

Flush mounting box for solid walls (deep)

Item ID: NX1034



Pcs in packaging	Pcs in box	Box weight, kg	Box volume, m³	Box length/width/height, mm
1	100	2,100	0,0396	500x440x180

Distribution box for drywall diam. 80mm

Item ID: NX1040



Pcs in packaging	Pcs in box	Box weight, kg	Box volume, m³	Box length/width/height, mm
1	90	6,75	0,0427	460x320x290

Distribution box for solid walls diam. 80x50mm

Item ID: NX1041



Pcs in packaging	Pcs in box	Box weight, kg	Box volume, m³	Box length/width/height, mm
1	64	4,83	0,0427	460x320x290

Distribution box for solid walls diam. 100x50mm

Item ID: NX1042



Pcs in packaging	Pcs in box	Box weight, kg	Box volume, m³	Box length/width/height, mm
1	34	4,44	0,0427	460x320x290

Waterproof junction box round(Ø 80mm, H=45mm)

Item ID: NX1043



Pcs in packaging	Pcs in box	Box weight, kg	Box volume, m³	Box length/width/height, mm
1	90	6,75	0,0427	460x320x290

Waterproof junction box square (85x85x45mm)

Item ID: NX1044



Pcs in packaging	Pcs in box	Box weight, kg	Box volume, m³	Box length/width/height, mm
1	64	4,83	0,0427	460x320x290

Waterproof junction box square (100x100x50mm)

Item ID: NX1045



Pcs in packaging	Pcs in box	Box weight, kg	Box volume, m³	Box length/width/height, mm
1	34	4,44	0,0427	460x320x290



**neomax.ua**