

The background is a vibrant red. The upper half features a pattern of rounded rectangles, each outlined in a slightly darker red, creating a mesh-like effect. A diagonal band of a lighter, more saturated red runs from the bottom left towards the top right, intersecting the patterned area.

NEOMAX

Product Catalog 2025

ABOUT US

Welcome to our company, a recognized manufacturer of high-quality electrical solutions. Our mission is to provide customers with reliable and innovative products for various electrical installation tasks.


We specialize in the production of a wide range of electrical products, including cable trunking, extension cords, reels, plugs, and other accessories for electrical systems. Our products ensure reliable and safe wiring for both residential and commercial use. We take pride in the high quality and innovation of our products

Our team of professionals offers a personalized approach tailored to meet the unique needs of each client in the field of electrical engineering. Safety and efficiency are our top priorities.

Every product we manufacture meets high standards and safety regulations, ensuring reliability and long-lasting use. Choose us for your electrical equipment needs, and we guarantee high quality, advanced technologies, and excellent service. Together, we create reliable solutions for your electrical connections.



CONTENTS

	01 CABLE MANAGEMENT SYSTEM 04 CABLE DUCTS 05 WITH DOUBLE LOCK 07 ELECTRICAL WIRE PIPES 09 CORRUGATED CABLE CONDUIT 10 FLOOR CABLE TRUNKING 11 CLAMP FOR CABLE 12
	02 EXTENSION CORDS 13 EXTENSION CORDS 16 EXTENSION CORDS OMAX 24 GARDEN EXTENSION CORDS 28 EXTENSION CORD WITHOUT SOCKET 34 EXTENSION REELS 36
	03 DISTRIBUTION BOXES FOR CIRCUIT BREAKERS 41 FLUSH-MOUNTED DISTRIBUTION BOXES 43 SURFACE-MOUNTED DISTRIBUTION BOXES 45
	04 ACCESSORIES 47 PLUG, PLUG ADAPTER, TRIPLE 48 PLUG, RUBBER CONNECTORS 51
	05 FLUSH-MOUNTING AND JUNCTION BOXES 53 MOUNTING BOXES 54 JUNCTION BOXES 56



CABLE DUCTS

High-quality cable ducts are an indispensable component of efficient electrical wiring. Our cable ducts are made of non-combustible PVC, which guarantees their reliability and safety in all operating conditions.

Thanks to their aesthetic design and various configurations, our cable ducts are ideal for routing cables along the surface of walls, floors or ceilings when recessed wiring is not possible. They provide a safe and aesthetically pleasing way to branch out wiring, solving the problems of cable safety and protection.

Our products are time-proven and known for their reliability. You can be assured of the high quality of our cable ducts, which are easy to install and meet all modern electrical safety standards.

Choose our cable ducts for safety, efficiency, and a flawless look for your wiring.

CABLE DUCTS


is a reliable and aesthetically pleasing solution for electrical wiring distribution. Made of high quality non-combustible PVC, it can be easily mounted on the surface of walls, floors or ceilings, ensuring safety and an organized look. Choose our cable ducts for reliability and ease of use.



White	Anthracite	Name	Size, mm	Meters/ box	Weight, box,kg	Length, cm	Width cm	Height cm	Volume m³
NX3000	NX3040	Cable duct	12x12	160	8,95	205	13	10	0,0267
NX3001	NX3041	Cable duct	15x10	160	11,25	205	13	10	0,0267
NX3002	NX3042	Cable duct	16x16	96	8,80	205	14	10	0,0287
NX3003	NX3043	Cable duct	20x10	120	10,25	205	13	11	0,0293
NX3004	NX3044	Cable duct	25x16	128	14,59	205	21	13	0,0560
NX3005	NX3045	Cable duct	25x25	80	14,22	205	21	13	0,0560
NX3006	NX3046	Cable duct	40x16	80	17,00	205	21	13	0,0560
NX3007	NX3047	Cable duct	40x25	50	14,58	205	25	12	0,0615
NX3008	NX3048	Cable duct	40x40	60	21,83	205	25	23,5	0,1204
NX3009	NX3049	Cable duct	60x40	40	19,50	205	25	21	0,1076
NX3010	NX3050	Cable duct	60x60	32	13,47	205	19,5	16	0,0640
NX3011	NX3051	Cable duct	80x40	30	18,36	205	25	21	0,1076
NX3012	NX3052	Cable duct	80x60	18	12,90	205	17,5	10,5	0,0377
NX3013	NX3053	Cable duct	100x40	24	15,80	205	21	26	0,1119
NX3014	NX3054	Cable duct	100x60	16	14,00	205	22	11,5	0,0519
NX3015	NX3055	Cable duct	120x60	12	13,12	205	21	13	0,0560

CABLE DUCTS SELF-ADHESIVE


are an effective and easy solution for organizing electrical wiring. Using high-quality materials, the integrated adhesive tape adds extra durability, making it an excellent choice for wiring branching. Choose our cable trunking for efficiency and convenience in use.



White	"Anthracite"	Name	Size, mm	Meters/ box	Weight box, kg	Length, cm	Width, cm	Height, cm	Volume, m ³
NX3100	NX3140	Cable ducts self-adhesive	12x12	140	7,94	205	13	10	0,0267
NX3101	NX3141	Cable ducts self-adhesive	15x10	144	10,20	205	12	9,9	0,0244
NX3102	NX3142	Cable ducts self-adhesive	16x16	80	9,00	205	13	10	0,0267
NX3103	NX3143	Cable ducts self-adhesive	20x10	108	10,15	205	13	11	0,0293
NX3104	NX3144	Cable ducts self-adhesive	25x16	112	13,07	205	18	12,5	0,0461
NX3105	NX3145	Cable ducts self-adhesive	25x25	64	11,60	205	18	9,5	0,0351
NX3106	NX3146	Cable ducts self-adhesive	40x16	70	14,92	205	25	11	0,0564
NX3107	NX3147	Cable ducts self-adhesive	40x25	40	11,66	205	25	9,5	0,0487
NX3108	NX3148	Cable ducts self-adhesive	40x40	60	21,00	205	20	25	0,1025
NX3109	NX3149	Cable ducts self-adhesive	60x40	40	20,75	205	25	22	0,1128
NX3110	NX3150	Cable ducts self-adhesive	60x60	32	16,31	205	21	17,5	0,0753

CABLE DUCTS WITH DOUBLE LOCK


are a reliable choice for organizing electrical wiring. The double lock ensures extra durability and safety, providing a reliable cable retention in the trunking. This is a simple and effective way to ensure an organized appearance of the space and durability of your electrical wiring.



White	Anthracite	Name	Size, mm	Meters/ box	Weight box, kg	Length cm	Width, cm	Height, cm	Volume m³
NX3200	NX3240	Cable ducts with double lock	12x12	160	10,50	205	13	10	0,0267
NX3201	NX3241	Cable ducts with double lock	15x10	160	12,32	205	14	11	0,0316
NX3202	NX3242	Cable ducts with double lock	16x16	96	8,78	205	14	11	0,0316
NX3203	NX3243	Cable ducts with double lock	20x10	120	11,00	205	13	10	0,0267
NX3204	NX3244	Cable ducts with double lock	25x16	128	15,27	205	25	14	0,0718
NX3205	NX3245	Cable ducts with double lock	25x25	80	13,20	205	20	13	0,0533
NX3206	NX3246	Cable ducts with double lock	40x16	80	16,50	205	21	12	0,0517
NX3207	NX3247	Cable ducts with double lock	40x25	50	13,23	205	25	12	0,0615
NX3208	NX3248	Cable ducts with double lock	40x40	60	21,25	205	25	23	0,1179
NX3209	NX3249	Cable ducts with double lock	60x40	40	18,49	205	25	21	0,1076
NX3210	NX3250	Cable ducts with double lock	60x60	24	16,50	205	24	17	0,0836
NX3211	NX3251	Cable ducts with double lock	80x40	30	18,36	205	25	21	0,1076
NX3212	NX3252	Cable ducts with double lock	80x60	18	12,90	205	17,5	10,5	0,0377
NX3213	NX3253	Cable ducts with double lock	100x40	24	15,80	205	21	26	0,1119
NX3214	NX3254	Cable ducts with double lock	100x60	16	14,00	205	22	11,5	0,0519
NX3215	NX3255	Cable ducts with double lock	120x60	12	13,12	205	21	13	0,0560

CABLE DUCTS WITH DOUBLE LOCK WITH ADHESIVE TAPE

are an advanced system for organizing electrical wiring. The double lock ensures strength, while the adhesive tape adds extra fixation, providing stability of the ducts and safety in cable retention. This is an effective solution for a reliable and organized wiring system in your space, where every detail is considered for your safety and comfort.



White	Anthracite	Name	Size, mm	Meters/ box	Weight, box, kg	Length cm	Length cm	Height, cm	Volume, m³
NX3300	NX3340	Cable ducts with double lock with adhesive tape	12x12	140	7,94	205	13	10	0,0267
NX3301	NX3341	Cable ducts with double lock with adhesive tape	15x10	144	10,20	205	12	9,9	0,0244
NX3302	NX3342	Cable ducts with double lock with adhesive tape	16x16	80	9,00	205	13	10	0,0267
NX3303	NX3343	Cable ducts with double lock with adhesive tape	20x10	108	10,15	205	13	11	0,0293
NX3304	NX3344	Cable ducts with double lock with adhesive tape	25x16	112	13,07	205	18	12,5	0,0461
NX3305	NX3345	Cable ducts with double lock with adhesive tape	25x25	90	16,31	205	18	13	0,0480
NX3306	NX3346	Cable ducts with double lock with adhesive tape	40x16	84	17,90	205	25	13	0,0666
NX3307	NX3347	Cable ducts with double lock with adhesive tape	40x25	54	15,74	205	25	13	0,0666
NX3308	NX3348	Cable ducts with double lock with adhesive tape	40x40	60	21,00	205	20	25	0,1025
NX3309	NX3349	Cable ducts with double lock with adhesive tape	60x40	24	12,45	205	25	13	0,0666
NX3310	NX3350	Cable ducts with double lock with adhesive tape	60x60	24	12,23	205	21	13	0,0560

ELECTRICAL WIRE PIPES

Our electrotechnical pipes are the ideal solution for laying electrical cables. With the ability to easily connect to each other, they are available in lengths of 2 m or 3 m. Our pipes provide an efficient and reliable system for laying cables, allowing you to easily manage electrical wiring in your space.



White	Anthracite	Name	Size, mm	Meters/ box	Weight, box, kg	Length, cm	Width, cm	Height, cm	Volume, m ³
NX3500	NX3550	Electrical wire pipes	Ø16 cm, 2 m	160	18,00	200,5	17	17	0,0579
NX3501	NX3551	Electrical wire pipes	Ø20 cm, 2 m	120	17,00	200,5	17	16	0,0545
NX3502	NX3552	Electrical wire pipes	Ø25 cm, 2 m	100	21,80	200,5	17	17	0,0579
NX3503	NX3553	Electrical wire pipes	Ø32 cm, 2 m	60	17,50	200,5	20	23	0,0922
NX3504	NX3554	Electrical wire pipes	Ø40 cm, 2 m	40	12,10	200,5	21	21	0,0884
NX3505	NX3555	Electrical wire pipes	Ø50 cm, 2 m	20	6,05	200,5	15,5	15,5	0,0482
NX3506	NX3556	Electrical wire pipes	Ø63 cm, 2 m	40	12,10	200,5	21	21	0,0884
NX3510	NX3560	Electrotechnical pipes	Ø16 cm, 3 m	180	18,70	300,5	17	16	0,0817
NX3511	NX3561	Electrotechnical pipes	Ø20 cm, 3 m	120	19,10	300,5	17	16	0,0817
NX3512	NX3562	Electrotechnical pipes	Ø25 cm, 3 m	90	19,70	300,5	17	16	0,0817
NX3513	NX3563	Electrotechnical pipes	Ø32 cm, 3 m	90	25,10	300,5	21	21	0,1325
NX3514	NX3564	Electrotechnical pipes	Ø40 cm, 3 m	60	20,60	300,5	21	21	0,1325
NX3515	NX3565	Electrotechnical pipes	Ø50 cm, 3 m	30	10,30	300,5	15,5	15,5	0,0722
NX3516	NX3566	Electrotechnical pipes	Ø63 cm, 3 m	60	20,60	300,5	21	21	0,1325

CORRUGATED CABLE CONDUIT 320 N

The NEOMAX corrugated cable conduit 320 N is a lightweight and flexible PVC solution designed for reliable cable routing in walls, ceilings, and dry installation zones. Made from high-quality non-flammable PVC, it provides excellent flexibility, mechanical protection, and easy installation even in confined spaces. Complies with EN 61386 standard and ensures a safe, durable system for electrical and telecommunication networks in residential and commercial applications.



Code	Name	Size	Meters/ box	Weight box, kg	Length, cm	Width, cm	Height, cm	Volume, m3
NX3660	Corrugated Cable Conduit	Ø16 mm, 50m	50m	1,8	35	32	20	0,0224
NX3661	Corrugated Cable Conduit	Ø20 mm, 50m	50m	2,5	40	37	25	0,037
NX3662	Corrugated Cable Conduit	Ø25 mm, 50m	50m	2,55	41	41	29,5	0,0495
NX3663	Corrugated Cable Conduit	Ø32 mm, 25m	25m	2,72	45	45	25	0,0506
NX3664	Corrugated Cable Conduit	Ø40 mm, 25m	25m	3.5	50	50	27	0,0675

FLOOR CABLE TRUNKING

Our semi-circular floor cable trunking is the perfect solution for organizing and protecting electrical cables on the floor. With their unique design and easy connection system, these trunkings offer convenience and efficiency in cable placement. Available in lengths of 2 m or 3 m, our floor cable trunking creates an organized and safe system for conducting cable infrastructure in your space.



Code	Name	Size	Meters/ box	Weight box, kg	Length, cm	Width, cm	Height, cm	Volume, m3
NX3400	Floor cable trunking	50x12 mm, 2m	28	12,01	205	20	5	0,0205
NX3401	Floor cable trunking	70x18 mm, 2m	28	23,10	205	28	7	0,0402
NX3402	Floor cable trunking	90x20 mm, 2m	20	17,94	205	27	8	0,0443

CLAMP FOR CABLE NEOMAX

This is a simple but effective solution for mounting cables on any surface.

The bracket presses the cable tightly to the wall or ceiling and is fixed with a self-tapping screw - installation is done by drilling into the surface.

This method guarantees reliability: the cable does not sag, does not move, and looks neat. The clamp is suitable for round and flat wires, and its shape ensures a snug fit without damaging the insulation.

It fits harmoniously into the interior and allows you to quickly organize the cable route without using glues or fragile clips.

POLYAMIDE

Code	Name	Color	Quantity in a package, pcs	Pcs/box	Quantity in a box, pcs.	Box weight, kg	Length, cm	Width, cm	Height, cm
NX870010	Cable clamp for 8 wires Neomax 135 mm, (10 pcs)	gray	10	75	750	8,25	46	32	29
NX860010		black	10				46	32	29
NX870020	Cable clamp for 10 wires Neomax 168 mm, (10 pcs)	gray	10	56	560	6,16	46	32	29
NX860020		black	10				46	32	29
NX870030	Cable clamp for 16 wires Neomax 242 mm, (10 pcs)	gray	10	38	380	7,6	46	32	29
NX860030		black	10				46	32	29



POLYPROPYLENE

Code	Name	Color	Quantity in a package, pcs	Pcs/box	Quantity per package, pcs.	Box weight, kg.	Length, cm	Width, cm	Height, cm
NX880010P	Cable clamp for 8 wires Neomax 135 mm	white	10	75	750	8,25	46	32	29
NX870010P		gray					46	32	29
NX860010P		black					46	32	29
NX880020P	Cable clamp for 10 wires Neomax 168 mm	white	10	56	560	6,16	46	32	29
NX870020P		gray					46	32	29
NX860020P		black					46	32	29
NX880030P	Cable clamp for 10 wires Neomax 168 mm	white	10	38	380	7,6	46	32	29
NX870030P		gray					46	32	29
NX860030P		black					46	32	29





GROUP SOCKETS AND EXTENSION CORDS

Our group sockets and extension cords embody a combination of high quality, ease of assembly, and unique design, providing you with reliable and convenient solutions for your electrical installation.

Made from high-quality materials, our group sockets and extension cords ensure long service life and resistance to operational loads. The unique design we implement not only emphasizes their functionality but also adds an aesthetic layer to your space.

Ease of assembly is a key aspect of our products, making them ideal for quick and efficient installation. We offer group sockets and extension cords in white and black colors, with and ungrounded, variable cable lengths, available both with and without a switch.

Moreover, you can choose group socket and extension cords with different cable lengths, adapted to the specific requirements of your electrical installation. We understand the importance of individual needs of our clients, therefore, we offer flexible solutions for various usage scenarios.

You will receive not only high quality but also convenience in use, making our group sockets and extension cords an essential part of your electrical system.

Choose our products to ensure reliability, ease of management, and aesthetics in every touch with electrotechnics. Our wide range of options allows you to find the optimal solution for any needs of your project.



GROUP SOCKET AND EXTENSION CORDS (GROUNDED)

	Code	Name	Length, m	Color	Pcs/box	Weight, box, kg	Volume, m ³
 	NX501200	2-Gang Group socket grounded	-	white	35	4,25	0,0197
	NX511200			black			
	NX501202	Extension cord 2/2m grounded	2	white	15	4,92	0,0194
	NX511202			black			
	NX501203	Extension cord 2/3m grounded	3	white	15	6,08	0,0194
	NX511203			black			
	NX501205	Extension cord 2/5m grounded	5	white	14	9,56	0,0197
	NX511205			black			
 	NX501300	3-Gang Group socket grounded	-	white	30	4,75	0,0197
	NX511300			black			
	NX501302	Extension cord 3/2m grounded	2	white	16	6,79	0,0197
	NX511302			black			
	NX501303	Extension cord 3/3m grounded	3	white	14	6,13	0,0194
	NX511303			black			
	NX501305	Extension cord 3/5m grounded	5	white	12	7,16	0,0194
	NX511305			black			
 	NX501400	4-Gang Group socket grounded	-	white	25	4,88	0,0194
	NX511400			black			
	NX501402	Extension cord 4/2m grounded	2	white	12	4,77	0,0194
	NX511402			black			
	NX501403	Extension cord 4/3m grounded	3	white	12	5,69	0,0197
	NX511403			black			
	NX501405	Extension cord 4/5m grounded	5	white	10	6,32	0,0197
	NX511405			black			

Our group sockets and extension cords grounded are a reliable and safe choice for your electrical needs. Grounding provides an additional level of protection, and the group sockets and cords allow easy connection and power distribution of electrical power.

Thanks to grounding, our group sockets and extension cords guarantee safe use, helping to prevent electrical risks. Their durable performance and easy use make them an ideal choice for home or office, where reliable electrical power is needed.

	Code	Name	Length, m	Color	Pcs/box	Weight box, kg	Volume, m ³
 	NX501500	5-Gang Group socket grounded	-	white	20	4,51	0,0197
	NX511500			black			
	NX501502	Extension cord 5/2m grounded	2	white	12	5,14	0,0197
	NX511502			black			
	NX501503	Extension cord 5/3m grounded	3	white	12	6,06	0,0197
	NX511503			black			
	NX501505	Extension cord 5/5m grounded	5	white	10	7,51	0,0197
	NX511505			black			
 	NX501600	6-Gang Group socket grounded	-	white	20	5,20	0,0194
	NX511600			black			
	NX501602	Extension cord 6/2m grounded	2	white	10	4,62	0,0194
	NX511602			black			
	NX501603	Extension cord 6/3m grounded	3	white	10	5,40	0,0194
	NX511603			black			
	NX501605	Extension cord 6/5m grounded	5	white	10	6,82	0,0194
	NX511605			black			

GROUP SOCKET AND EXTENSION CORDS (UNGROUNDED)

	Code	Name	Length, m	Color	Pcs/box	Weight, box, kg	Volume, m³
 	NX500200	2-Gang Group socket ungrounded	-	white	40	4,11	0,0197
	NX510200			black			
	NX500202	Extension cord 2/2m ungrounded	2	white	18	4,82	0,0194
	NX510202			black			
	NX500203	Extension cord 2/3m ungrounded	3	white	16	5,39	0,0194
	NX510203			black			
	NX500205	Extension cord 2/5m ungrounded	5	white	14	8,86	0,0197
	NX510205			black			
 	NX500300	3-Gang Group socket ungrounded	-	white	35	4,56	0,0197
	NX510300			black			
	NX500302	Extension cord 2/2m ungrounded	2	white	15	4,40	0,0192
	NX510302			black			
	NX500303	Extension cord 3/3m ungrounded	3	white	15	5,18	0,0192
	NX510303			black			
	NX500305	Extension cord 3/5m ungrounded	5	white	12	7,80	0,0197
	NX510305			black			
 	NX500400	4-Gang Group socket ungrounded	-	white	25	4,12	0,0194
	NX510400			black			
	NX500402	Extension cord 4/2m ungrounded	2	white	14	5,83	0,0194
	NX510402			black			
	NX500403	Extension cord 4/3m ungrounded	3	white	14	7,27	0,0194
	NX510403			black			
	NX500405	Extension cord 4/5m ungrounded	5	white	12	8,05	0,0194
	NX510405			black			

Our group sockets and extension cords ungrounded are practical and convenient solutions for your electrical equipment. They allow easy connection and distribution of electrical power without the need for grounded.

These group sockets and extension cords are designed for convenience and efficiency in use. With their compact design and simple use, they are perfectly suited for situations where grounding is not mandatory, but reliable electrical supply is needed.

	Code	Name	Length m	Color	Pcs/box	Weight box, kg	Volume, m ³
 	NX500500	5-Gang Group socket ungrounded	-	white	20	3,85	0,0197
	NX510500			black			
	NX500502	Extension cord 5/2m ungrounded	2	white	14	4,96	0,0197
	NX510502			black			
	NX500503	Extension cord 5/3m ungrounded	3	white	14	5,85	0,0197
	NX510503			black			
	NX500505	Extension cord 5/5m ungrounded	5	white	12	6,71	0,0197
	NX510505			black			
 	NX500600	6-Gang Group socket ungrounded	-	white	20	4,41	0,0194
	NX510600			black			
	NX500602	Extension cord 6/2m ungrounded	2	white	12	4,29	0,0194
	NX510602			black			
	NX500603	Extension cord 6/3m ungrounded	3	white	10	5,53	0,0194
	NX510603			black			
	NX500605	Extension cord 6/5m ungrounded	5	white	10	5,81	0,0194
	NX510605			black			

GROUP SOCKET AND EXTENSION CORDS GROUNDED WITH SWITCH

	Code	Name	Length, m	Color	Pcs/box	Weight, box, kg	Volume, m ³
 	NX503200	2-Gang Group socket grounded with switch	-	white	35	4,25	0,0197
	NX513200			black			
	NX503202	Extension cord 2/2m grounded with switch	2	white	15	4,92	0,0194
	NX513202			black			
	NX503203	Extension cord 2/3m grounded with switch	3	white	15	6,08	0,0194
	NX513203			black			
 	NX503205	Extension cord 2/5m grounded with switch	5	white	14	9,56	0,0197
	NX513205			black			
	NX503300	3-Gang Group socket grounded with switch	-	white	30	4,75	0,0197
	NX513300			black			
	NX503302	Extension cord 3/2m grounded with switch	2	white	16	6,79	0,0197
	NX513302			black			
 	NX503303	Extension cord 3/3m grounded with switch	3	white	14	6,13	0,0194
	NX513303			black			
	NX503305	Extension cord 3/5m grounded with switch	5	white	12	7,16	0,0194
	NX513305			black			
	NX503400	4-Gang Group socket grounded with switch	-	white	25	4,88	0,0194
	NX513400			black			
 	NX503402	Extension cord 4/2m grounded with switch	2	white	12	4,77	0,0194
	NX513402			black			
	NX503403	Extension cord 4/3m grounded with switch	3	white	12	5,69	0,0197
	NX513403			black			
	NX503405	Extension cord 4/5m grounded with switch	5	white	10	6,32	0,0197
	NX513405			black			

Our group sockets and extension cords with a switch and grounding are smart solutions designed to provide safe and convenient control of your electrical devices. The switch allows easy on and off power control, while grounding offers an additional level of protection from electrical interferences.

These group sockets and extension cords with grounding and a switch are designed considering your comfort and safety. They provide the ability to efficiently use electrical devices, ensuring protection from potential risks.

	Code	Name	Length, m	Color	Pcs/box	Weight box, kg	Volume, m ³
 	NX503500	5-Gang Group socket grounded with switch	-	white	20	4,51	0,0197
	NX513500			black			
	NX503502	Extension cord 5/2m grounded with switch	2	white	12	5,14	0,0197
	NX513502			black			
	NX503503	Extension cord 5/3m grounded with switch	3	white	12	6,06	0,0197
	NX513503			black			
	NX503505	Extension cord 5/5m grounded with switch	5	white	10	7,51	0,0197
	NX513505			black			
 	NX503600	6-Gang Group socket grounded with switch	-	white	20	5,20	0,0194
	NX513600			black			
	NX503602	Extension cord 6/2m grounded with switch	2	white	10	4,62	0,0194
	NX513602			black			
	NX503603	Extension cord 6/3m grounded with switch	3	white	10	5,40	0,0194
	NX513603			black			
	NX503605	Extension cord 6/5m grounded with switch	5	white	10	6,82	0,0194
	NX513605			black			

GROUP SOCKET AND EXTENSION CORDS UNGROUNDED WITH SWITCH

	Code	Name	Length, m	Color	Pcs/box	Weight, box, kg	Volume, m ³
 	NX502200	2-Gang Group socket ungrounded with switch	-	white	40	4,11	0,0197
	NX512200			black			
	NX502202	Extension cord 2/2m ungrounded with switch	2	white	18	4,82	0,0194
	NX512202			black			
	NX502203	Extension cord 2/3m ungrounded with switch	3	white	16	5,39	0,0194
	NX512203			black			
	NX502205	Extension cord 2/5m ungrounded with switch	5	white	14	8,86	0,0197
	NX512205			black			
 	NX502300	3-Gang Group socket ungrounded with switch	-	white	35	4,56	0,0197
	NX512300			black			
	NX502302	Extension cord 3/2m ungrounded with switch	2	white	15	4,40	0,0192
	NX512302			black			
	NX502303	Extension cord 3/3m ungrounded with switch	3	white	15	5,18	0,0192
	NX512303			black			
	NX502305	Extension cord 3/5m ungrounded with switch	5	white	12	7,80	0,0197
	NX512305			black			
 	NX502400	4-Gang Group socket ungrounded with switch	-	white	25	4,12	0,0194
	NX512400			black			
	NX502402	Extension cord 4/2m ungrounded with switch	2	white	14	5,83	0,0194
	NX512402			black			
	NX502403	Extension cord 4/3m ungrounded with switch	3	white	14	7,27	0,0194
	NX512403			black			
	NX502405	Extension cord 4/5m ungrounded with switch	5	white	12	8,05	0,0194
	NX512405			black			

Our group sockets and extension cords with a switch ungrounded are convenient and efficient solutions for managing your electrical devices. The a switch allows easy on and off power control, and the absence of ground ensures simplicity in use.

These group sockets and extension cords with a switch are created for your comfort and convenience. They allow you to effectively manage the power of your equipment, ensuring simplicity and reliability in use.

	Code	Name	Length, m	Color	Pcs/box	Weight, box, kg	Volume, m ³
   	NX502500	5-Gang Group socket ungrounded with switch	-	white	20	3,85	0,0197
	NX512500			black			
	NX502502	Extension cord 5/2m ungrounded with switch	2	white	14	4,96	0,0197
	NX512502			black			
	NX502503	Extension cord 5/3m ungrounded with switch	3	white	14	5,85	0,0197
	NX512503			black			
	NX502505	Extension cord 5/5m ungrounded with switch	5	white	12	6,71	0,0197
	NX512505			black			
	NX502600	6-Gang Group socket ungrounded with switch	-	white	20	4,41	0,0194
	NX512600			black			
	NX502602	Extension cord 6/2m ungrounded with switch	2	white	12	4,29	0,0194
	NX512602			black			
	NX502603	Extension cord 6/3m ungrounded with switch	3	white	10	5,53	0,0194
	NX512603			black			
	NX502605	Extension cord 6/5m ungrounded with switch	5	white	10	5,81	0,0194
	NX512605			black			

EXTENSION CORDS OMAX

UNGROUNDED

	Code	Name	Length, m	Color	Pcs/box	Weight, box, kg	Volume, m³
   	NX700200	2 Gang group socket	-	white	50	5,14	0,0197
	NX710200			black			
	NX700202	2 Gang group socket 2m	2	white	18	4,82	0,0194
	NX710202			black			
	NX700203	2 Gang group socket 3m	3	white	18	6,06	0,0194
	NX710203			black			
	NX700205	2 Gang group socket 5m	5	white	14	8,86	0,0197
	NX710205			black			
   	NX700300	3 Gang group socket	-	white	40	5,21	0,0197
	NX710300			black			
	NX700302	3 Gang group socket 2m	2	white	18	5,28	0,0192
	NX710302			black			
	NX700303	3 Gang group socket 3m	3	white	15	6,22	0,0192
	NX710303			black			
	NX700305	3 Gang group socket 5m	5	white	14	9,1	0,0197
	NX710305			black			
   	NX700400	4 Gang group socket	-	white	30	4,94	0,0194
	NX710400			black			
	NX700402	4 Gang group socket 2m	2	white	14	5,83	0,0194
	NX710402			black			
	NX700403	4 Gang group socket 3m	3	white	14	7,27	0,0194
	NX710403			black			
	NX700405	4 Gang group socket 5m	5	white	12	8,05	0,0194
	NX710405			black			

For everyday tasks that don't require grounding, MAX plugs and extension cords are a simple yet thoughtful choice. They are ideal for connecting lighting, chargers and consumer electronics.

Thanks to their compact form factor and sleek design in white or anthracite, they look neat even in open areas.

The brass contacts ensure reliable connection and the variety of models with 2-6 jacks makes it easy to choose the best option for any room or workplace.



Code	Name	Length, m	Color	Pcs/box	Weight, box, kg	Volume, m³
NX700500	5 Gang group socket	-	white	20	3,85	0,0197
NX710500			black			
NX700502	5 Gang group socket 2m	2	white	14	4,96	0,0197
NX710502			black			
NX700503	5 Gang group socket 3m	3	white	14	5,85	0,0197
NX710503			black			
NX700505	5 Gang group socket 5m	5	white	12	6,71	0,0197
NX710505			black			
NX700600	6 Gang group socket	-	white	20	4,41	0,0194
NX710600			black			
NX700602	6 Gang group socket 2m	2	white	12	4,29	0,0194
NX710602			black			
NX700603	6 Gang group socket 3m	3	white	10	5,53	0,0194
NX710603			black			
NX700605	6 Gang group socket 5m	5	white	10	5,81	0,0194
NX710605			black			

EXTENSION CORDS OMAX

GROUNDED

		Code	Name	Length, m	Color	Pcs/box	Weight, box, kg	Volume, m ³
 	☐ ☒	NX701200	2-Gang Group socket grounded	-	white	35	4,25	0,0197
		NX711200			black			
	☐ ☒	NX701202	Extension cord 2/2m grounded	2	white	15	4,92	0,0194
		NX711202			black			
	☐ ☒	NX701203	Extension cord 2/3m grounded	3	white	15	6,08	0,0194
		NX711203			black			
	☐ ☒	NX701205	Extension cord 2/5m grounded	5	white	14	9,56	0,0197
		NX711205			black			
 	☐ ☒	NX701300	3-Gang Group socket grounded	-	white	30	4,75	0,0197
		NX711300			black			
	☐ ☒	NX701302	Extension cord 3/2m grounded	2	white	16	6,79	0,0197
		NX711302			black			
	☐ ☒	NX701303	Extension cord 3/3m grounded	3	white	14	6,13	0,0194
		NX711303			black			
	☐ ☒	NX701305	Extension cord 3/5m grounded	5	white	12	7,16	0,0194
		NX711305			black			
 	☐ ☒	NX701400	4-Gang Group socket grounded	-	white	25	4,12	0,0194
		NX711400			black			
	☐ ☒	NX701402	Extension cord 4/2m grounded	2	white	14	5,83	0,0194
		NX711402			black			
	☐ ☒	NX701403	Extension cord 4/3m grounded	3	white	14	7,27	0,0194
		NX711403			black			
	☐ ☒	NX701405	Extension cord 4/5m grounded	5	white	12	8,05	0,0194
		NX711405			black			

OMAX grounded strips and extension cords are a successful combination of safety, reliability and style. They are designed to connect powerful appliances and meet modern requirements for household electrical appliances. Thanks to the grounded contact, you get an additional level of protection, and the durable brass contact group guarantees a stable connection.

The models are available in white and anthracite colors, so they will easily fit into both home and office interiors. Available in 2, 3, 4, 5, and 6 jacks, you can choose exactly what you need.

	Code	Name	Length, m	Color	Pcs/box	Weight, box, kg	Volume, m³
   	NX701500	5-Gang Group socket grounded	-	white	20	3,85	0,0197
	NX711500			black			
	NX701502	Extension cord 5/2m grounded	2	white	14	4,96	0,0197
	NX711502			black			
	NX701503	Extension cord 5/3m grounded	3	white	14	5,85	0,0197
	NX711503			black			
	NX701505	Extension cord 5/5m grounded	5	white	12	6,71	0,0197
	NX711505			black			
	NX701600	6-Gang Group socket grounded	-	white	20	4,41	0,0194
	NX711600			black			
	NX701602	Extension cord 6/2m grounded	2	white	12	4,29	0,0194
	NX711602			black			
 	NX701603	Extension cord 6/3m grounded	3	white	10	5,53	0,0194
	NX711603			black			
	NX701605	Extension cord 6/5m grounded	5	white	10	5,81	0,0194
	NX711605			black			

GARDEN EXTENSION CORDS

Our garden extension cords are the perfect solution for your garden. With one plug and one socket, they allow you to effectively branch your electrical power with a long wire.

Made from high-quality materials, our garden extension cords ensure reliability and resistance to external conditions. Their design, considering the needs of your garden, provides convenience and reliability in use.

With one plug and socket, these extension cords are ideal for use with power tools, lighting, or other electrical devices in your garden. Choose our garden extension cords to easily and efficiently provide electrical power in open spaces.



GARDEN EXTENSION CORDS (GROUNDED), ANGLED PLUG



Code	Name	Length, m	Color	Pcs/box	Weight box, kg	Volume, m3
NX501102	Garden extension cord, 2 meters grounded	2	white	25	7,92	0,0194
NX511102			black			
NX531102			orange			
NX501103	Garden extension cord, 3 meters grounded	3	white	20	8,08	0,0194
NX511103			black			
NX531103			orange			
NX501105	Garden extension cord, 5 meters grounded	5	white	15	7,85	0,0194
NX511105			black			
NX531105			orange			
NX501107	Garden extension cord, 7 meters grounded	7	white	12	9,05	0,0194
NX511107			black			
NX531107			orange			
NX501110	Garden extension cord, 10 meters grounded	10	white	10	9,04	0,0194
NX511110			black			
NX531110			orange			
NX501115	Garden extension cord, 15 meters grounded	15	white	6	7,85	0,0179
NX511115			black			
NX531115			orange			
NX501120	Garden extension cord, 20 meters grounded	20	white	5	8,50	0,0179
NX511120			black			
NX531120			orange			
NX501125	Garden extension cord, 25 meters grounded	25	white	4	9,32	0,0194
NX511125			black			
NX531125			orange			

GARDEN EXTENSION CORDS (GROUNDED), FLAT PLUG WITH HANDLE



Code	Name	Length, m	Color	Pcs/box	Weight box, kg	Volume, m3
NX504105	Garden extension cord, 5 meters grounded	5	white	15	7,75	0,0194
NX514105			black			
NX534105			orange			
NX504107	Garden extension cord, 7 meters grounded	7	white	12	9,05	0,0194
NX514107			black			
NX534107			orange			
NX504110	Garden extension cord, 10 meters grounded	10	white	10	9,04	0,0194
NX514110			black			
NX534110			orange			
NX504115	Garden extension cord, 15 meters grounded	15	white	6	7,85	0,0179
NX514115			black			
NX534115			orange			
NX504120	Garden extension cord, 20 meters grounded	20	white	5	8,50	0,0179
NX514120			black			
NX534120			orange			
NX504125	Garden extension cord, 25 meters grounded	25	white	4	9,32	0,0194
NX514125			black			
NX534125			orange			

GARDEN EXTENSION CORDS (GROUNDED), STRAIGHT PLUG



Code	Name	Length, m	Color	Pcs/box	Weight box, kg	Volume, m3
NX505105	Garden extension cord, 5 meters grounded	5	white	15	7,75	0,0194
NX515105			black			
NX535105			orange			
NX505107	Garden extension cord, 7 meters grounded	7	white	12	9,05	0,0194
NX515107			black			
NX535107			orange			
NX505110	Garden extension cord, 10 meters grounded	10	white	10	9,04	0,0194
NX515110			black			
NX535110			orange			
NX505115	Garden extension cord, 15 meters grounded	15	white	6	7,85	0,0179
NX515115			black			
NX535115			orange			
NX505120	Garden extension cord, 20 meters grounded	20	white	5	8,50	0,0179
NX515120			black			
NX535120			orange			
NX505125	Garden extension cord, 25 meters grounded	25	white	4	8,27	0,0194
NX515125			black			
NX535125			orange			

STRAIGHT PLUG GARDEN EXTENSION CORDS (UNGROUNDED)



Code	Name	Length, m	Color	Pcs/box	Weight box, kg	Volume, m3
NX500102	Garden extension cord, 2 meters ungrounded	2	white	25	7,17	0,0194
NX510102			black			
NX530102			orange			
NX500103	Garden extension cord, 3 meters ungrounded	3	white	20	7,38	0,0194
NX510103			black			
NX530103			orange			
NX500105	Garden extension cord, 5 meters ungrounded	5	white	15	7,02	0,0194
NX510105			black			
NX530105			orange			
NX500107	Garden extension cord, 7 meters ungrounded	7	white	15	8,88	0,0194
NX510107			black			
NX530107			orange			
NX500110	Garden extension cord, 10 meters ungrounded	10	white	10	7,46	0,0194
NX510110			black			
NX530110			orange			
NX500115	Garden extension cord, 15 meters ungrounded	15	white	8	7,61	0,0194
NX510115			black			
NX530115			orange			
NX500120	Garden extension cord, 20 meters ungrounded	20	white	5	7,36	0,0194
NX510120			black			
NX530120			orange			
NX500125	Garden extension cord, 25 meters ungrounded	25	white	4	8,74	0,0194
NX510125			black			
NX530125			orange			



CABLE WITH PLUG

Our cables with plugs are reliable solutions for providing electrical wiring under any conditions. The molded cable with a plug ensures reliability and longevity of the electrical connection.

We offer various plug variations, including those with and ungrounded, as well as straight and angled models. This gives you the opportunity to choose the optimal variant for specific applications, wherever you are.

Our cables with plugs and high-quality molded cable become a reliable foundation for your electrical system, ensuring efficient and safe power supply. Choose our products for reliability and flexibility in using electrical applications.

CABLE WITH PLUG (GROUNDED)



Code	Name	Length, m	Color	Pcs/box	Weight box, kg	Volume, m3
NX501001	Cable with plug at 1.5 meters grounded	1.5	white	72	12,18	0,0427
NX511001			black			
NX501002	Cable with plug at 2 meters grounded	2	white	30	8,40	0,0194
NX511002			black			
NX501003	Cable with plug at 3 meters grounded	3	white	25	6,67	0,0194
NX511003			black			
NX501005	Cable with plug at 5 meters grounded	5	white	20	10,65	0,0194
NX511005			black			

CABLE WITH FLAT PLUG WITH HANDLE (GROUNDED)



Code	Name	Length, m	Color	Pcs/box	Weight box, kg	Volume, m3
NX504001	Cable with flat plug with handle 1.5 meters grounded	1.5	white	60	10,15	0,0427
NX514001			black			
NX504002	Cable with flat plug with handle at 2 meters grounded	2	white	30	8,40	0,0194
NX514002			black			
NX504003	Cable with flat plug with handle at 3 meters grounded	3	white	25	6,67	0,0194
NX514003			black			
NX504005	Cable with flat plug with handle at 5 meters grounded	5	white	20	10,65	0,0194
NX514005			black			

CABLE WITH PLUG (UNGROUNDED)



Code	Name	Length, m	Color	Pcs/box	Weight box, kg	Volume, m3
NX500001	Cable with plug at 1.5 meters ungrounded	1.5	white	90	11,88	0,0427
NX510001			black			
NX500002	Cable with plug at 2 meters ungrounded	2	white	72	12,58	0,0194
NX510002			black			
NX500003	Cable with plug at 3 meters ungrounded	3	white	100	22,42	0,0194
NX510003			black			
NX500005	Cable with plug at 5 meters ungrounded	5	white	80	33,14	0,0194
NX510005			black			

EXTENSION REELS

Our extension reels are the perfect solution for providing electrical supply at the garden site, construction, or other similar works. Each reel is equipped with 4 sockets, allowing multiple electrical devices to be connected simultaneously, ensuring efficiency and convenience.

We offer various wire length variations to meet your specific needs at the garden site, during construction, or other similar works. This provides flexibility in use and ensures optimal power supply for your work.

Choose our reels for uninterrupted and convenient electrical supply under any work conditions. Our reels with a switch and built-in fuse are a smart and safe solution for providing a reliable power supply.

The switch allows easy control of connected devices, and the built-in fuse ensures additional protection from overloads and short circuits, securing safety and longevity of the electrical equipment. Plastic medium reel with 4 grounded sockets.



	Code	Name	Length, m	Pcs/ pack	Weight pcs	Weight box, kg	Length, cm	Width, cm	Height, cm
	NX618403	Extension reel in closed case ungrounded	3	9	0,96	8,64	35	32	18
	NX618405		5	9	1,11	9,99	35	32	18
	NX616403	Extension reel in closed case grounded	3	8	1,05	8,40	35	32	18
	NX616405		5	8	1,26	10,08	35	32	18
	NX619405	Extension reel in closed case ungrounded with handle	5	4	1,16	4,64	37	30	25
	NX619407		7	4	1,31	5,24	37	30	25
	NX617405	Extension reel in closed case grounded, with handle	5	4	1,31	5,24	37	30	25
	NX617407		7	4	1,52	6,08	37	30	25
	NX613400	Extension reel ungrounded (Ø185mm)	-	1	1,03	1,03	25	20	35
	NX613410		10	1	1,78	1,78	25	20	35
	NX613415		15	1	2,16	2,16	25	20	35
	NX610400	Extension reel grounded (Ø185mm)	-	1	1,03	1,03	25	20	35
	NX610410		10	1	2,08	2,08	25	20	35
	NX610415		15	1	2,61	2,61	25	20	35
	NX614400	Extension reel ungrounded (Ø250mm)	-	1	1,11	1,11	30	22	37
	NX614415		15	1	2,24	2,24	30	22	37
	NX614420		20	1	2,61	2,61	30	22	37
	NX614425		25	1	2,99	2,99	30	22	37
	NX611400	Extension reel grounded (Ø250mm)	-	1	1,11	1,11	30	22	37
	NX611415		15	1	2,69	2,69	30	22	37
	NX611420		20	1	3,21	3,21	30	22	37
	NX611425		25	1	3,74	3,74	30	22	37
	NX615400	Extension reel ungrounded (Ø275mm)	-	1	1,19	1,19	35	22	40
	NX615430		30	1	3,44	3,44	35	22	40
	NX615440		40	1	4,19	4,19	35	22	40
	NX612400	Extension reel grounded (Ø275mm)	-	1	1,19	1,19	35	22	40
	NX612430		30	1	4,34	4,34	35	22	40
	NX612440		40	1	5,39	5,39	35	22	40

GARDEN REELS

(GROUNDED)

Our garden reels are equipped not only with a socket for connection, a long wire, and a plug but also a grounded system for an extra level of safety. This ensures reliable and safe power supply for your garden equipment or lighting in outdoor conditions.

The combination of ease of use and protection from potential risks makes our reels ideal for use in the garden or yard.



Code	Name	Length, m	Pcs/ pack	Weight pcs	Weight box, kg	Length, cm	Width, cm	Height, cm
NX610010	Garden extension reel grounded (Ø185mm)	10	1	2,08	2,08	25	20	35
NX610015		15	1	2,61	2,61	25	20	35
NX611015	Garden extension reel grounded (Ø250mm)	15	1	2,69	2,69	34	25	23
NX611020		20	1	3,21	3,21	34	25	23
NX611025		25	1	3,74	3,74	34	25	23
NX612030	Garden extension reel grounded (Ø275mm)	30	1	4,34	4,34	35	22	40
NX612040		40	1	5,39	5,39	35	22	40



GARDEN REELS (UNGROUND)

Our garden reels ungrounded are a convenient and practical solution for extending electrical wiring in your garden or yard. Each reel is equipped with one plug for connection and one socket for convenient use of electrical appliances.

This extension on a reel stands out for its compactness and ease of transportation, making it an ideal option for use in the garden or on the plot. This practical solution eliminates the need for complex installation when providing electrical supply to various garden tools or lighting.



Code	Name	Length, m	Pcs/ pack	Weight pcs	Weight box, kg	Length, cm	Width, cm	Height, cm
NX613010	Garden extension reel ungrounded (Ø185mm)	10	1	1,78	1,78	25	20	35
NX613015		15	1	2,16	2,16	25	20	35
NX614015	Garden extension reel ungrounded (Ø250mm)	15	1	2,24	2,24	30	22	37
NX614020		20	1	2,61	2,61	30	22	37
NX614025		25	1	2,99	2,99	30	22	37
NX615030	Garden extension reel ungrounded (Ø275mm)	30	1	3,44	3,44	35	22	40
NX615040		40	1	4,19	4,19	35	22	40





DISTRIBUTION BOXES FOR CIRCUIT BREAKERS

Our distribution boxes for circuit breakers are a reliable and safe solution for protecting electrical systems. We offer two variations: flush-mounted and Surface-mounted distribution boxes, allowing you to choose the optimal option according to your project or needs.


Flush-mounted distribution boxes are ideally suited for instances where you need to integrate automatic switches into a wall or another internal space. This ensures an aesthetic appearance and compact design and safe integration into the electrical system.

Surface-mounted distribution boxes are excellent for protecting switches from weather conditions and providing easy access for maintenance. They allow for effective handling of external influences, ensuring a high level of safety for your electrical system.



Choose our boxes for circuit breakers to ensure reliable protection and convenient use of your electrical devices.



FLUSH MOUNTED DISTRIBUTION BOXES




Code	Name	Neutral busbar / holes pcs	Pcs/pack	Weight, pcs	Weight box, kg	Length, cm	Width, cm	Height, cm
NX4202	2 module distribution box	0	16	0,25	4,00	30	40,5	21,5
NX4204	4 module distribution box	1 / 4	18	0,29	5,22	30,5	44,5	30
NX4206	6 module distribution box	1 / 4	9	0,40	3,60	30,5	45	19
NX4208	8 module distribution box	1 / 6	12	0,55	6,60	36	46	31
NX4212	12 module distribution box	1 / 9	6	0,90	5,40	31	42,5	31
NX4216	16 module distribution box	2 / 6	6	1,00	6,00	30,5	45,5	30,5
NX4224	24 module distribution box	2 / 9	4	1,30	5,20	33	42	31
NX4236	36 module distribution box	2 / 9	3	1,80	5,40	30,5	44	30,5
NX4012	12 mod. distrib. box (Ultra)	1 / 9	6	0.799	4.80	32	55,5	45





Art. / Apr.	Modules / Модулі	Dimention / Розміри			
		A	B	C	D
NX4202	2	100	140	95	22
NX4204	4	140	140	96	23
NX4206	6	180	140	96	23
NX4208	8	220	170	97	24
NX4212	12	300	200	98	25
NX4216	16	220	290	97	24
NX4224	24	300	320	98	25
NX4236	36	300	430	98	25

SURFACE MOUNTED DISTRIBUTION BOXES



Code	Name	Neutral busbar / holes pcs	Pcs/pack	Weight, pcs	Weight box, kg	Length, cm	Width, cm	Height, cm
NX4303	3 - 4 module distribution box	0	40	0,22	8,70	30	40,5	21,5
NX4302	2 module distribution box	0	16	0,23	3,65	30	40,5	21,5
NX4304	4 module distribution box	1 / 4	18	0,30	5,46	30,5	44	30
NX4306	6 module distribution box	1 / 4	9	0,38	3,44	30,5	45	19
NX4308	8 module distribution box	1 / 6	12	0,53	6,39	36	46	31
NX4312	12 module distribution box	1 / 9	6	0,80	4,78	31	42	31
NX4316	16 module distribution box	2 / 9	4	0,86	5,13	30,5	45,5	30,5
NX4324	24 module distribution box	2 / 9	4	1,27	5,08	33	42	31
NX4336	36 module distribution box	2 / 9	3	1,74	5,23	30,5	44	30,5



Art. / Арт.	Modules / Модулі	Dimension / Розміри			
		A	B	C	D
NX4302	2	100	140	95	22
NX4304	4	140	140	96	23
NX4306	6	180	140	96	23
NX4308	8	220	170	97	24
NX4312	12	300	200	98	25
NX4316	16	220	290	97	24
NX4324	24	300	320	98	25
NX4336	36	300	430	98	25

DIN RAILS FOR CIRCUIT BREAKER

Our DIN-rails are designed for convenient and reliable installation of circuit breakers in your electrical system. Made from high-quality materials, they ensure strength and longevity. Installing our DIN rails will allow you to easily organize your electrical distribution system, ensuring reliable operation of your equipment.



Code	Name	Size, mm	Pcs/pack	Weight, pcs	Weight box, kg	Length, cm	Width, cm	Height, cm
NX49004	DIN rail for circuit breakers 4 cm	35x7.5x0.9	200	0,0118	2,36	4,5	9	50
NX49010	DIN rail for circuit breakers 10 cm	35x7.5x0.9	200	0,0295	5,90	10,5	9	50
NX49013	DIN rail for circuit breakers 13 cm	35x7.5x0.9	200	0,0383	7,67	13,5	9	50
NX49020	DIN rail for circuit breakers 20 cm	35x7.5x0.9	100	0,059	5,90	20,5	9	25
NX49025	DIN rail for circuit breakers 25 cm	35x7.5x0.9	100	0,073	7,38	25,5	9	25
NX49100	DIN rail for circuit breakers 1 m	35x7.5x0.9	20	0,295	5,90	100,5	9	5
NX49125	DIN rail for circuit breakers 1.25 m	35x7.5x0.9	20	0,371	7,43	125,5	9	5
NX49150	DIN rail for circuit breakers 1.5 m	35x7.5x0.9	20	0,444	8,89	125,5	9	5
NX49200	DIN rail for circuit breakers 2 m	35x7.5x0.9	20	0,594	11,88	200,5	9	5

*possible production by individual order





ACCESSORIES

Our range of accessories includes various components designed for convenience and expansion of capabilities of your electrical system. From electrical plugs and sockets to splitters, adapters, and converters - we offer a wide selection of products for different requirements and usage scenarios.

Electrical plugs, sockets, and adapters allow for convenient and reliable connections between electrical devices.

Our 2 and 3 gang sockets expand the number of possible connections, providing convenience in using your electrical system.

Choose our electrical installation accessories to ensure reliability and flexibility in every aspect of your project. Our products are made from high-quality materials, guaranteeing durability and safety in use.



ACCESSORIES

Earthed L-plug

WHITE: NX1005

BLACK: NX1105



Psc. per pack	35	Length, cm	46
Pcs. per box	210	Width, cm	32
Weight, pcs	0,03	Height, cm	29
Weight box, kg	7,08	Volume, m3	0,0427

Earthed L-plug standard

WHITE: NX1004

BLACK: NX1104




Psc. per pack	40	Length, cm	46
Pcs. per box	240	Width, cm	32
Weight, pcs	0,04	Height, cm	29
Weight box, kg	8,86	Volume, m3	0,0427

Earthed plug with handle

WHITE: NX1006

BLACK: NX1106



Psc. per pack	35	Length, cm	46
Pcs. per box	210	Width, cm	32
Weight, pcs	0,04	Height, cm	29
Weight box, kg	8,28	Volume, m3	0,0427

Earthed straight plug

WHITE: NX1000

BLACK: NX1100



Psc. per pack	40	Length, cm	46
Pcs. per box	240	Width, cm	32
Weight, pcs	0,04	Height, cm	29
Weight box, kg	8,86	Volume, m3	0,0427

Earthed female plug

WHITE: NX1008

BLACK: NX1108



Psc. per pack	20	Length, cm	46
Pcs. per box	120	Width, cm	32
Weight, pcs	0,05	Height, cm	29
Weight box, kg	6,34	Volume, m3	0,0427

Small plug with L wire entry

WHITE: NX1003

BLACK: NX1103



Psc. per pack	50	Length, cm	46
Pcs. per box	300	Width, cm	32
Weight, pcs	0,02	Height, cm	29
Weight box, kg	7,08	Volume, m3	0,0427

ACCESSORIES

Earthed plug with straight wire entry

WHITE: NX1001

BLACK: NX1101



Psc. per pack	45	Length, cm	46
Pcs. per box	270	Width, cm	32
Weight, pcs	0,03	Height, cm	29
Weight box, kg	8,54	Volume, m3	0,0427

Plug

WHITE: NX1002

BLACK: NX1102



Psc. per pack	50	Length, cm	46
Pcs. per box	300	Width, cm	32
Weight, pcs	0,03	Height, cm	29
Weight box, kg	8,47	Volume, m3	0,0427

Flat plug

WHITE: NX1007

BLACK: NX1107



Psc. per pack	100	Length, cm	46
Pcs. per box	600	Width, cm	32
Weight, pcs	0,02	Height, cm	29
Weight box, kg	9,34	Volume, m3	0,0427

3 Gang socket plug adapter T type

WHITE: NX1019

BLACK: NX1119



Psc. per pack	45	Length, cm	46
Pcs. per box	270	Width, cm	32
Weight, pcs	0,03	Height, cm	29
Weight box, kg	7,06	Volume, m3	0,0427

5 Gang socket plug adapter

WHITE: NX1027

BLACK: NX1127



Psc. per pack	35	Length, cm	46
Pcs. per box	210	Width, cm	32
Weight, pcs	0,04	Height, cm	29
Weight box, kg	7,75	Volume, m3	0,0427

MK Plug adapter UK to EU type

WHITE: NX1029

BLACK: NX1129



Psc. per pack	35	Length, cm	46
Pcs. per box	210	Width, cm	32
Weight, pcs	0,03	Height, cm	29
Weight box, kg	5,95	Volume, m3	0,0427

ACCESSORIES

European plug adapter universal type

WHITE: NX1028



BLACK: NX1128



WHITE: NX1030



BLACK: NX1130



WHITE: NX1018



Psc. per pack	35	Length, cm	46
Pcs. per box	210	Width, cm	32
Weight, pcs	0,04	Height, cm	29
Weight box, kg	8,86	Volume, m3	0,0427

Psc. per pack	1	Length, cm	46
Pcs. per box	90	Width, cm	32
Weight, pcs	0,06	Height, cm	29
Weight box, kg	5,00	Volume, m3	0,0427

Psc. per pack	10	Length, cm	46
Pcs. per box	60	Width, cm	32
Weight, pcs	0,07	Height, cm	29
Weight box, kg	5,00	Volume, m3	0,0427

3 Gang earthed socket plug

WHITE: NX1014



BLACK: NX1114



Psc. per pack	10	Length, cm	46
Pcs. per box	60	Width, cm	32
Weight, pcs	0,12	Height, cm	29
Weight box, kg	6,90	Volume, m3	0,0427

2 Gang earthed socket plug

WHITE: NX1012



BLACK: NX1112



Psc. per pack	14	Length, cm	46
Pcs. per box	84	Width, cm	32
Weight, pcs	0,10	Height, cm	29
Weight box, kg	8,22	Volume, m3	0,0427

3 Gang socket plug

WHITE: NX1015



BLACK: NX1115



Psc. per pack	12	Length, cm	46
Pcs. per box	72	Width, cm	32
Weight, pcs	0,08	Height, cm	29
Weight box, kg	6,00	Volume, m3	0,0427

2 Gang socket plug

WHITE: NX1013



BLACK: NX1113



Psc. per pack	15	Length, cm	46
Pcs. per box	90	Width, cm	32
Weight, pcs	0,08	Height, cm	29
Weight box, kg	7,42	Volume, m3	0,0427

RUBBER CONNECTORS

Our rubber accessories are the ideal choice for those seeking high-quality and resistant solutions for electrical connections. Sockets, straight plugs, and angled plugs, made from quality rubber, provide them with properties of strength and flexibility.

Our rubber sockets ensure reliable and safe electrical connections. They are resistant to external factors such as moisture and temperature changes, making them ideal for use under various conditions.

Straight and angled plugs made from rubber allow for easy and reliable connection of your electrical devices. The flexibility of the material provides ease of use and durability of the products.

Choose our rubber accessories to ensure reliability and resistance in your electrical system, even under harsh operating conditions.

Rubber Earthed straight plug

BLACK: NX2000

RED : NX2200



Psc. per pack	20	Length, cm	46
Pcs. per box	120	Width, cm	32
Weight, pcs	0,06	Height, cm	29
Weight box, kg	7,22	Volume, m3	0,0427

Rubber Earthed L-plug

BLACK: NX2001

RED: NX2201



Psc. per pack	30	Length, cm	46
Pcs. per box	180	Width, cm	32
Weight, pcs	0,06	Height, cm	29
Weight box, kg	10,23	Volume, m3	0,0427

Rubber Earthed straight socket with cover

BLACK: NX2004

RED : NX2204



Psc. per pack	15	Length, cm	46
Pcs. per box	90	Width, cm	32
Weight, pcs	0,08	Height, cm	29
Weight box, kg	7,32	Volume, m3	0,0427

Rubber Earthed L-plug

BLACK: NX2002

RED: NX2202



Psc. per pack	30	Length, cm	46
Pcs. per box	180	Width, cm	32
Weight, pcs	0,06	Height, cm	29
Weight box, kg	10,23	Volume, m3	0,0427



MOUNTING BOXES

Our junction boxes are an essential element for organizing electrical wiring in an interior or on an external wall. We offer options for embedding in concrete or drywall walls, as well as hidden and external boxes for branching electrical lines.

Junction boxes for concrete or drywall walls integrate perfectly into the structure, providing an opportunity to efficiently place sockets and switches. They ensure convenience and safety in installing electrical devices in your premises.

Hidden junction boxes allow keeping wires out of sight, ensuring a clean and organized appearance of walls. This is particularly important for those who pay attention to design and integrated systems.

External junction boxes are ideal for protecting electrical wiring outdoors and in conditions where resistance to external influences is crucial.

Choose our installation boxes - junction boxes for walls to ensure reliability, convenience, and an aesthetic appearance of your electrical system.



MOUNTING BOXES

NX1033

Flush mounting box for solid walls
(Ø65mm, H=45mm)



Psc. per pack	1
Pcs. per box	100
Weight box, kg	1,64
Length, cm	50
Width, cm	44
Height, cm	18
Volume, m3	0,0396

NX1034

Flush mounting deep box for solid walls
(Ø65mm, H=60mm)



Psc. per pack	1
Pcs. per box	100
Weight box, kg	1,80
Length, cm	50
Width, cm	44
Height, cm	18
Volume, m3	0,0396

NX1035

Flush mounting solid wall box
(Ø65mm, H=45mm)



Psc. per pack	1
Pcs. per box	100
Weight box, kg	1,80
Length, cm	50
Width, cm	44
Height, cm	18
Volume, m3	0,0396

NX1032

Flush mounting box for drywall
(Ø65mm, H=45mm)



Psc. per pack	1
Pcs. per box	100
Weight box, kg	2,42
Length, cm	50
Width, cm	44
Height, cm	18
Volume, m3	0,0396

MBS021

Flush mounting junction box
(with screws) (Ø60mm, H=41mm)



Psc. per pack	1
Pcs. per box	200
Weight box, kg	2,73
Length, cm	85
Width, cm	50
Height, cm	16
Volume, m3	0,0680

MBS022

Flush mounting junction box
(without screws) (Ø60mm, H=41mm)



Psc. per pack	1
Pcs. per box	200
Weight box, kg	2,47
Length, cm	85
Width, cm	50
Height, cm	16
Volume, m3	0,0680

MOUNTING BOXES

MBS023

Flush mounting universal box
(with screws) (Ø60mm, H=41mm)



Psc. per pack	1
Pcs. per box	200
Weight box, kg	2,34
Length, cm	85
Width, cm	50
Height, cm	16
Volume, m3	0,0680

MBS024

Flush mounting universal box
(without screws) (Ø60mm, H=41mm)



Psc. per pack	1
Pcs. per box	200
Weight box, kg	2,08
Length, cm	50
Width, cm	44
Height, cm	18
Volume, m3	0,0396

JUNCTION BOXES

NX1040

Round Junction box for solid walls
(Ø75mm, H=45mm)



Psc. per pack	1
Pcs. per box	144
Weight box, kg	7,92
Length, cm	50
Width, cm	44
Height, cm	18
Volume, m3	0,0396

NX1041

Round Junction box for solid walls
(Ø100mm, H=50mm)



Psc. per pack	1
Pcs. per box	60
Weight box, kg	2,70
Length, cm	50
Width, cm	44
Height, cm	18
Volume, m3	0,0396

NX1042

Round Junction box for drywalls
(Ø80mm, H=45mm)



Psc. per pack	1
Pcs. per box	34
Weight box, kg	3,08
Length, cm	50
Width, cm	44
Height, cm	18
Volume, m3	0,0396

WATERPROOF BOXES

NX1043 NX1143

Waterproof junction box round
(Ø80mm H=45 mm)

IP55



Psc. per pack	1
Pcs. per box	90
Weight box, kg	5,95
Length, cm	46
Width, cm	32
Height, cm	29
Volume, m3	0,0427

NX1049 NX1149

Waterproof junction box square
(70x70x35 mm)

IP55



Psc. per pack	1
Pcs. per box	90
Weight box, kg	6,11
Length, cm	46
Width, cm	32
Height, cm	29
Volume, m3	0,0427

NX1044 NX1144

Waterproof junction box square
(85x85x40 mm)

IP55



Psc. per packi	1
Pcs. per box	60
Weight box, kg	5,50
Length, cm	46
Width, cm	32
Height, cm	29
Volume, m3	0,0427

NX1045 NX1145

Waterproof junction box square
(100x100x50 mm)

IP55



Psc. per packi	1
Pcs. per box	34
Weight box, kg	4,14
Length, cm	46
Width, cm	32
Height, cm	29
Volume, m3	0,0427

NX1046 NX1146

Waterproof junction box square IP66
(150x115x65 mm)

IP66



Psc. per packi	1
Pcs. per box	28
Weight box, kg	3,41
Length, cm	46
Width, cm	32
Height, cm	29
Volume, m3	0,0427

NX1047 NX1147

Waterproof junction box square IP66
(190x150x75 mm)

IP66



Psc. per packi	1
Pcs. per box	6
Weight box, kg	0,73
Length, cm	15
Width, cm	45
Height, cm	19
Volume, m3	0,0128

NX1048 NX1148

Waterproof junction box square IP66
(240x190x95mm)

IP66



Psc. per pack	1
Pcs. per box	4
Weight box, kg	0,49
Length, cm	24
Width, cm	38
Height, cm	29
Volume, m3	0,0173

The background is a vibrant red with a diagonal gradient from dark red at the top to a lighter red at the bottom. A bright orange band runs diagonally across the upper portion. The lower right area features a pattern of overlapping, rounded rectangular outlines in a slightly darker red shade.

neomax.ua